

# ALV2 C SERIES – CYLINDRICAL TYPE

**MIWA Canada**

Phone - 450 984 1113  
800 724 5904

Fax - 450 984 2831  
800 724 2910

[info@miwacanada.com](mailto:info@miwacanada.com)  
[www.miwacanada.com](http://www.miwacanada.com)

## ALV2 series / LOCK

# ALV2-C RFID




- Exterior card reader to accept guest and staff keys.
- Reader to be programmed to lock and unlock automatically at predetermined times, set by the property.
- Card reader controller supplies 3V output to wall-mount reader and 24V output to Magnetic locks, electrified panic bars, electric strikes or other locking device.
- Back up battery is included.
- Heater kit to be installed in colder climates.

**MIWA Canada**Phone - 450 984 1113  
800 724 5904Fax - 450 984 2831  
800 724 2910info@miwacanada.com  
www.miwacanada.com

Type	Description
M-001RD	RFID reader with battery box and enclosure made from stainless steel

Type	Description
5162MCLT70D	CYLINDRICAL LOCKSET WITH MOTOR, B/S:70, GALAXY TRIM, 626 FINISH, KD CYLINDER
5162MFLT70D	CYLINDRICAL LOCKSET WITH MOTOR, B/S:70, ECLIPSE TRIM, 626 FINISH, KD CYLINDER
5162MCLT70A	CYLINDRICAL LOCKSET WITH MOTOR, B/S:70, GALAXY TRIM, 626 FINISH, KA CYLINDER
5162MFLT70A	CYLINDRICAL LOCKSET WITH MOTOR, B/S:70, ECLIPSE TRIM, 626 FINISH, KA CYLINDER

### 5162MFLT70D



Unit	Parts	Material	Type	Finish
RFID reader	Escutcheon	Stainless steel	SUS304	Grinding
	Mounting plate	Steel	SECC	Plating ZINC
	Gasket	Rubber		—
	Mounting screws	Stainless steel	SUS304	—
	PCB (Main / Reader)	Provided by Miwa		
	Battery box	Provided by Miwa		
Lockset	Lever	ZINC		US26D
	Lever Rose	Stainless steel		US26D
	Lock case	Steel		YELLOW ZINC PLATED
	Actuator	Steel		YELLOW ZINC PLATED

- Retro fit to existing cylindrical lock preps
- Suitable for common, storage, closet or office type doors
- Lock holds 600 events and reports usage of 120 events onto each individual staff card
- Lock can be programmed as common door, individual door, timed access and zoned door
- Optional Mechanical hard-key override, master keyed or individual